
To-Kyo

Makio Hasuike & Co.

To-kyo 540

TO-KYO COLLECTION:
To-kyo 540, To-kyo 541,





Chair with beech wood frame, 4 legs. Upholstered seat and back.

WEIGHT	PACK	PIECES PER BOX
6 kg	0,29 m^3	1


To-Kyo

Makio Hasuike & Co.

et al.

FINISHES SEATING

TE FABRICS



Alba
+ 8 colors



Aragon
+ 14 colors



Melva
+ 5 colors




Fortis + 8 colori



Roccia
+ 8 colors




Amsterdam
+ 8 colors




Medley Gabriel
+ 15 colors



Mirage
+ 8 colors



Inca
+ 14 colors



Chili Gabriel
+ 8 colors



Convert
+ 7 colors



Fenice
+ 8 colors




Mood Gabriel
+ 8 colors



Valencia
+ 14 colors



Fabthirty Rubelli
+ 8 colors



Remix 3 Kvadrat
+ 15 colors



Ocean Mastrotto
+ 15 colors

NOTE

Resources

3ds | dwg

On To-Kyo it is possible to use only fabrics that allow air exchange between inside and outside.

To-Kyo

Makio Hasuike & Co.

et al.

FRAMES

LE WOOD



Beech | Honey stained




Beech | Chesnut stained



Beech | Grey stained



Beech | Dark brown stained



Beech | Stained according to sample



beech | Black stained

CERTIFICATIONS

> UNI/EN 16139:2013 - Par.4.1 Generale. 4.2 Cesoiamento (16/02/15)
> UNI/EN 16139:2013 - Par.4.3. Stabilità (16/02/15)
> UNI/EN 16139:2013 - Prova 1. Carico statico sedile e schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 12. Carico statico gambe anteriori: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 15. Prova di urto sullo schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 2. Carico statico sul fronte anteriore: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 3. Carico verticale sullo schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 8. Prova di fatica sedile e schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 9. Prova di fatica sul bordo anteriore: 2-Uso estremo (16/02/15)

USES

hotels, educational, entertainment, travel, office and waiting areas, retail, health care,


To-Kyo

Makio Hasuike & Co.

To-kyo 541

TO-KYO COLLECTION:
To-kyo 540, To-kyo 541,





Lounge chair with beech wood frame, 4 legs. Upholstered seat and back.

WEIGHT	PACK	PIECES PER BOX
9 kg	0,50 m^3	1


To-Kyo

Makio Hasuike & Co.

et al.

FINISHES SEATING

TE FABRICS



Alba
+ 8 colors



Aragon
+ 14 colors



Melva
+ 5 colors




Fortis + 8 colori



Roccia
+ 8 colors




Amsterdam
+ 8 colors




Medley Gabriel
+ 15 colors



Mirage
+ 8 colors



Inca
+ 14 colors



Chili Gabriel
+ 8 colors



Convert
+ 7 colors



Fenice
+ 8 colors




Mood Gabriel
+ 8 colors



Valencia
+ 14 colors



Fabthirty Rubelli
+ 8 colors



Remix 3 Kvadrat
+ 15 colors



Ocean Mastrotto
+ 15 colors

NOTE

Resources

3ds | dwg

On To-Kyo it is possible to use only fabrics that allow air exchange between inside and outside.

To-Kyo

Makio Hasuike & Co.

et al.

FRAMES

LE WOOD



Beech | Honey stained




Beech | Chesnut stained



Beech | Grey stained



Beech | Dark brown stained



Beech | Stained according to sample



beech | Black stained

CERTIFICATIONS

> UNI/EN 16139:2013 - Par.4.1. Generale. 4.2 Cesoiamento e schiacciamento (16/02/15)
> UNI/EN 16139:2013 - Par.4.3. Stabilità (16/02/15)
> UNI/EN 16139:2013 - Prova 1. Carico statico sedile e schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 12. Carico statico gambe anteriori: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 13. Carico statico gambe laterali: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 14. Prova di urto sul sedile: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 15. Prova di urto sullo schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 2. Carico statico sul fronte anteriore: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 8. Prova di fatica sedile e schienale: 2-Uso estremo (16/02/15)
> UNI/EN 16139:2013 - Prova 9. Prova di fatica sul bordo anteriore: 2-Uso estremo (16/02/15)

USES

hotels, educational, entertainment, travel, office and waiting areas, retail, health care,